


**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claims 1-9. (Canceled).

10. (Currently amended) The method of Claim 1 in which A method of treating an autoimmune disease and/or one or more symptoms associated therewith, comprising the step of administering to a subject suffering from the autoimmune disease an effective amount of a 2,4-pyrimidinediamine compound according to structural formula (I):





or a salt, hydrate, solvate and/or N-oxide thereof, wherein:

the autoimmune disease is selected from the group consisting of Hashimoto's thyroiditis, autoimmune hemolytic anemia, autoimmune atrophic gastritis of pernicious anemia, autoimmune encephalomyelitis, autoimmune orchitis, Goodpasture's disease, autoimmune thrombocytopenia, sympathetic ophthalmia, myasthenia gravis, Graves' disease, primary biliary cirrhosis, chronic aggressive hepatitis, membranous glomerulopathy and an autoimmune disease involving a systemic autoimmune disorder;

L<sup>1</sup> and L<sup>2</sup> are each a direct bond;

one or both of R<sup>2</sup> and R<sup>4</sup>, independently of one another, is an optionally substituted heteroaryl selected from the group consisting of:





wherein when  $R^2$  is an optionally substituted heteroaryl then  $R^4$  is selected from the group consisting of phenyl substituted with one or more of the same or different  $R^8$  groups; and wherein when  $R^4$  is an optionally substituted heteroaryl then  $R^2$  is selected from the group consisting of phenyl mono-substituted at the 3- or 5-position with an  $R^8$  group, and phenyl di- or tri-substituted with one or more of the same or different  $R^8$  group;

$R^5$  is selected from the group consisting of  $-\text{CN}$ ,  $-\text{NC}$ ,  $-\text{NO}_2$ , fluoro, (C1-C3) haloalkyl, (C1-C3) perhaloalkyl, (C1-C3) haloalkoxy, (C1-C3) perhaloalkoxy,  $-\text{C}(\text{O})\text{R}^a$ ,  $-\text{C}(\text{O})\text{OR}^a$ ,  $-\text{C}(\text{O})\text{CF}_3$  and  $-\text{C}(\text{O})\text{OCF}_3$ ;

$R^6$  is hydrogen;

wherein:

$p$  is an integer from one to three;

each  $-$  independently represents a single bond or a double bond;

$R^{35}$  is hydrogen or  $R^8$ , where  $R^8$  is as previously defined in Claim 1 selected from the group consisting of  $R^c$ ,  $R^b$ ,  $R^c$  substituted with one or more of the same or different  $R^a$  or  $R^b$ ,  $-\text{OR}^a$  substituted with one or more of the same or different  $R^a$  or  $R^b$ ,  $-\text{B}(\text{OR}^a)_2$ ,  $-\text{B}(\text{NR}^c\text{R}^c)_2$ ,  $-(\text{CH}_2)_m\text{-R}^b$ ,  $-(\text{CHR}^a)_m\text{-R}^b$ ,  $-\text{O}-(\text{CH}_2)_m\text{-R}^b$ ,  $-(\text{CH}_2)_m\text{-R}^b$ ,  $-\text{O}-\text{CHR}^a\text{R}^b$ ,  $-\text{O}-\text{CR}^a(\text{R}^b)_2$ ,  $-\text{O}-(\text{CHR}^a)_m\text{-R}^b$ ,  $-\text{O}-(\text{CH}_2)_m\text{-CH}[(\text{CH}_2)_m\text{R}^b]\text{R}^b$ ,  $-\text{S}-(\text{CHR}^a)_m\text{-R}^b$ ,  $-\text{C}(\text{O})\text{NH}-(\text{CH}_2)_m\text{-R}^b$ ,  $-\text{C}(\text{O})\text{NH}-(\text{CHR}^a)_m\text{-R}^b$ ,  $-\text{O}-(\text{CH}_2)_m\text{-C}(\text{O})\text{NH}-(\text{CH}_2)_m\text{-R}^b$ ,  $-\text{S}-(\text{CH}_2)_m\text{-C}(\text{O})\text{NH}-(\text{CH}_2)_m\text{-R}^b$ ,  $-\text{O}-(\text{CHR}^a)_m\text{-C}(\text{O})\text{NH}-(\text{CHR}^a)_m\text{-R}^b$ ,  $-\text{S}-(\text{CHR}^a)_m\text{-C}(\text{O})\text{NH}-(\text{CHR}^a)_m\text{-R}^b$ ,  $-\text{NH}-(\text{CH}_2)_m\text{-R}^b$ ,  $-\text{NH}-$

$(\text{CHR}^a)_m\text{-R}^b$ ,  $-\text{NH}[(\text{CH}_2)_m\text{R}^b]$ ,  $-\text{N}[(\text{CH}_2)_m\text{R}^b]_2$ ,  $-\text{NH-C(O)-NH-(CH}_2)_m\text{-R}^b$ ,  
 $-\text{NH-C(O)-(CH}_2)_m\text{-CHR}^b\text{R}^b$  and  $-\text{NH-(CH}_2)_m\text{-C(O)-NH-(CH}_2)_m\text{-R}^b$ ;

each  $\text{R}^a$  is independently selected from the group consisting of hydrogen, (C1-C6) alkyl, (C3-C8) cycloalkyl, cyclohexyl, (C4-C11) cycloalkylalkyl, (C5-C10) aryl, phenyl, (C6-C16) arylalkyl, benzyl, 2-6 membered heteroalkyl, 3-8 membered cycloheteroalkyl, morpholinyl, piperazinyl, homopiperazinyl, piperidinyl, 4-11 membered cycloheteroalkylalkyl, 5-10 membered heteroaryl and 6-16 membered heteroarylalkyl;

each  $\text{R}^b$  is a suitable group independently selected from the group consisting of =O, -OR<sup>d</sup>, (C1-C3) haloalkyloxy, =S, -SR<sup>d</sup>, =NR<sup>d</sup>, =NOR<sup>d</sup>, -NR<sup>c</sup>R<sup>c</sup>, halogen, -CF<sub>3</sub>, -CN, -NC, -OCN, -SCN, -NO, -NO<sub>2</sub>, =N<sub>2</sub>, -N<sub>3</sub>, -S(O)R<sup>d</sup>, -S(O)<sub>2</sub>R<sup>d</sup>, -S(O)<sub>2</sub>OR<sup>d</sup>, -S(O)NR<sup>c</sup>R<sup>c</sup>, -S(O)<sub>2</sub>NR<sup>c</sup>R<sup>c</sup>, -OS(O)R<sup>d</sup>, -OS(O)<sub>2</sub>R<sup>d</sup>, -OS(O)<sub>2</sub>OR<sup>d</sup>, -OS(O)<sub>2</sub>NR<sup>c</sup>R<sup>c</sup>, -C(O)R<sup>d</sup>, -C(O)OR<sup>d</sup>, -C(O)NR<sup>c</sup>R<sup>c</sup>, -C(NH)NR<sup>c</sup>R<sup>c</sup>, -C(NR<sup>a</sup>)NR<sup>c</sup>R<sup>c</sup>, -C(NOH)R<sup>d</sup>, -C(NOH)NR<sup>c</sup>R<sup>c</sup>, -OC(O)R<sup>d</sup>, -OC(O)OR<sup>d</sup>, -OC(O)NR<sup>c</sup>R<sup>c</sup>, -OC(NH)NR<sup>c</sup>R<sup>c</sup>, -OC(NR<sup>a</sup>)NR<sup>c</sup>R<sup>c</sup>, -[NHC(O)]<sub>n</sub>R<sup>d</sup>, -[NR<sup>a</sup>C(O)]<sub>n</sub>R<sup>d</sup>, -[NHC(O)]<sub>n</sub>OR<sup>d</sup>, -[NR<sup>a</sup>C(O)]<sub>n</sub>OR<sup>d</sup>, -[NHC(O)]<sub>n</sub>NR<sup>c</sup>R<sup>c</sup>, -[NR<sup>a</sup>C(O)]<sub>n</sub>NR<sup>c</sup>R<sup>c</sup>, -[NHC(NH)]<sub>n</sub>NR<sup>c</sup>R<sup>c</sup> and -[NR<sup>a</sup>C(NR<sup>a</sup>)]<sub>n</sub>NR<sup>c</sup>R<sup>c</sup>;

each  $\text{R}^c$  is independently a protecting group or  $\text{R}^a$ , or, alternatively, two  $\text{R}^c$  are taken together with the nitrogen atom to which they are bonded to form a 5- to 8-membered cycloheteroalkyl or heteroaryl which may optionally include one or more of the same or different additional heteroatoms and which may optionally be substituted with one or more of the same or different  $\text{R}^a$  or suitable  $\text{R}^b$  groups;

each  $\text{R}^d$  is independently an  $\text{R}^a$ ;

each  $\text{R}^c$  is independently selected from the group consisting of (C1-C6) alkyl, (C3-C8) cycloalkyl, cyclohexyl, (C4-C11) cycloalkylalkyl, (C5-C10) aryl, phenyl, (C6-C16) arylalkyl, benzyl, 2-6 membered heteroalkyl, 3-8 membered cycloheteroalkyl, morpholinyl, piperazinyl, homopiperazinyl, piperidinyl, 4-11

membered cycloheteroalkylalkyl, 5-10 membered heteroaryl and 6-16 membered heteroarylalkyl;

each  $m$  is independently an integer from 1 to 3;

each  $n$  is independently an integer from 0 to 3;

X is selected from the group consisting of CH, N and N-O;

each Y is independently selected from the group consisting of O, S and NH;

each  $Y^1$  is independently selected from the group consisting of O, S, SO, SO<sub>2</sub>, SONR<sup>36</sup>, NH and NR<sup>37</sup>;

each  $Y^2$  is independently selected from the group consisting of CH, CH<sub>2</sub>, O, S, N, NH and NR<sup>37</sup>;

R<sup>36</sup> is hydrogen or alkyl;

R<sup>37</sup> is selected from the group consisting of hydrogen, ~~and a progroup, preferably hydrogen or a progroup selected from the group consisting of~~ aryl, arylalkyl, heteroaryl, R<sup>a</sup>, R<sup>b</sup>-CR<sup>a</sup>R<sup>b</sup>-O-C(O)R<sup>8</sup>, -CR<sup>a</sup>R<sup>b</sup>-O-PO(OR<sup>8</sup>)<sub>2</sub>, -CH<sub>2</sub>-O-PO(OR<sup>8</sup>)<sub>2</sub>, -CH<sub>2</sub>-PO(OR)<sub>2</sub>, -C(O)-CR<sup>a</sup>R<sup>b</sup>-N(CH<sub>3</sub>)<sub>2</sub>, -CR<sup>a</sup>R<sup>b</sup>-O-C(O)-CR<sup>a</sup>R<sup>b</sup>-N(CH<sub>3</sub>)<sub>2</sub>, -C(O)R<sup>8</sup>, -C(O)CF<sub>3</sub> and -C(O)-NR<sup>8</sup>-C(O)R<sup>8</sup>;

R<sup>38</sup> is selected from the group consisting of alkyl and aryl;

A is selected from the group consisting of O, NH and NR<sup>38</sup>;

R<sup>9</sup>, R<sup>10</sup>, R<sup>11</sup> and R<sup>12</sup> are each, independently of one another, selected from the group consisting of alkyl, alkoxy, halogen, haloalkoxy, aminoalkyl and hydroxyalkyl, or, alternatively, R<sup>9</sup> and R<sup>10</sup> and/or R<sup>11</sup> and R<sup>12</sup> are taken together form an oxo group;

each Z is selected from the group consisting of hydroxyl, alkoxy, aryloxy, ester, and carbamate;

Q is selected from the group consisting of -OH, OR<sup>8</sup>, -NR<sup>c</sup>R<sup>c</sup>, -N[[H]]R<sup>39</sup>-C(O)R<sup>8</sup>, -N[[H]]R<sup>39</sup>-C(O)OR<sup>8</sup>, -NR<sup>39</sup>-CHR<sup>40</sup>-R<sup>b</sup>, -NR<sup>39</sup>-(CH<sub>2</sub>)<sub>m</sub>-R<sup>b</sup> and -NR<sup>39</sup>-C(O)-CHR<sup>40</sup>-NR<sup>c</sup>R<sup>c</sup>;

R<sup>39</sup> and R<sup>40</sup> are each, independently of one another, selected from the group consisting of hydrogen, alkyl, aryl, alkylaryl, arylalkyl and NHR<sup>8</sup>; and

$R^a$ ,  $R^b$ , and  $R^c$  are as previously defined in Claim 1;

provided that when  $R^2$  is a substituted phenyl, then  $R^5$  is other than cyano.

11. (Canceled).

12. (Currently amended) The method of Claim 10 ~~or 11~~ in which each  $R^{35}$  is independently selected from the group consisting of hydrogen,  $R^d$ ,  $-NR^cR^c$ ,  $-(CH_2)_m-NR^cR^c$ ,  $-C(O)NR^cR^c$ ,  $-(CH_2)_m-C(O)NR^cR^c$ ,  $-C(O)OR^d$ ,  $-(CH_2)_m-C(O)OR^d$  and  $-(CH_2)_m-OR^d$ , where  $m$ ,  $R^5$  and  $R^d$  are as defined in Claim 1.

13. (Original) The method of Claim 12 in which each  $m$  is one.

14. (Currently amended) The method of Claim [[1]] 10 in which  $R^2$  is an optionally substituted heteroaryl which is attached to the remainder of the molecule *via* a ring carbon atom.

15. (Currently amended) The ~~use method~~ of Claim [[1]] 10 in which  $R^4$  is an optionally substituted heteroaryl which is attached to the remainder of the molecule *via* a ring carbon atom.

16. (Currently amended) The method of Claim [[1]] 10 in which ~~one or both of  $R^2$  and  $R^4$  are independently of one another,~~ is a phenyl substituted with one, two or three  $R^8$  groups, ~~where  $R^8$  is as defined in Claim 1.~~

17. (Canceled).

18. (Currently amended) The method of Claim 16 ~~or 17~~ in which the substituted phenyl is mono substituted.

19. (Previously Presented) The method of Claim 18 in which the  $R^4$  phenyl is substituted at the *ortho*, *meta* or *para* position.

20. (Currently amended) The method of Claim 19 in which  $R^8$  is selected from the group consisting of (C1-C10) alkyl, (C1-C10) branched alkyl,  $-OR^d$ ,  $-O-(CH_2)_m-NR^cR^c$ ,

-O-C(O)NR<sup>c</sup>R<sup>c</sup>, -O-(CH<sub>2</sub>)<sub>m</sub>-C(O)NR<sup>c</sup>R<sup>c</sup>, -O-C(O)OR<sup>a</sup>, -O-(CH<sub>2</sub>)<sub>m</sub>-C(O)OR<sup>a</sup>, -O-C(NH)NR<sup>c</sup>R<sup>c</sup>,  
-O-(CH<sub>2</sub>)<sub>m</sub>-C(NH)NR<sup>c</sup>R<sup>c</sup>, -NH-(CH<sub>2</sub>)<sub>m</sub>-NR<sup>c</sup>R<sup>c</sup>, -NH-C(O)NR<sup>c</sup>R<sup>c</sup> and -NH-(CH<sub>2</sub>)<sub>m</sub>-C(O)NR<sup>c</sup>R<sup>c</sup>;  
where *m*, R<sup>a</sup>, R<sup>b</sup> and R<sup>d</sup> are as defined in Claim 1.

21. (Currently amended) The method of Claim 16 ~~or 17~~ in which the substituted phenyl is disubstituted.

22. (Original) The method of Claim 21 in which the R<sup>8</sup> substituents are positioned 2,3-; 2,4-; 2,5-; 2,6-; 3,4-; or 3,5-.


23. (Currently amended) The method of Claim 21 in which each R<sup>8</sup> is independently selected from the group consisting of (C1-C10) alkyl, (C1-C10) branched alkyl, -OR<sup>a</sup> optionally substituted with one or more of the same or different R<sup>a</sup> or R<sup>b</sup> groups, -O-(CH<sub>2</sub>)<sub>m</sub>-NR<sup>c</sup>R<sup>c</sup>, -O-C(O)NR<sup>c</sup>R<sup>c</sup>, -O-(CH<sub>2</sub>)<sub>m</sub>-C(O)NR<sup>c</sup>R<sup>c</sup>, -O-C(O)OR<sup>a</sup>, -O-(CH<sub>2</sub>)<sub>m</sub>-C(O)OR<sup>a</sup>, -O-C(NH)NR<sup>c</sup>R<sup>c</sup>, -O-(CH<sub>2</sub>)<sub>m</sub>-C(NH)NR<sup>c</sup>R<sup>c</sup>, -NH-(CH<sub>2</sub>)<sub>m</sub>-NR<sup>c</sup>R<sup>c</sup>, -NH-C(O)NR<sup>c</sup>R<sup>c</sup> and -NH-(CH<sub>2</sub>)<sub>m</sub>-C(O)NR<sup>c</sup>R<sup>c</sup>;  
where *m*, R<sup>a</sup>, R<sup>b</sup> and R<sup>c</sup> are as defined in Claim 1.

24. (Currently amended) The method of Claim 16 ~~or 17~~ in which the substituted phenyl is trisubstituted.

25. (Previously Presented) The method of Claim 24 in which the R<sup>8</sup> substituents are positioned 2,3,4-; 2,3,5-; 2,3,6-; 2,4,5-; 2,4,6-; 2,5,6-; or 3,4,5-.

26. (Currently amended) The method of Claim 25 which each R<sup>8</sup> is independently selected from the group consisting of (C1-C10) alkyl, (C1-C10) branched alkyl, -OR<sup>a</sup> optionally substituted with one or more of the same or different R<sup>a</sup> or R<sup>b</sup> groups, -O-(CH<sub>2</sub>)<sub>m</sub>-NR<sup>c</sup>R<sup>c</sup>, -O-C(O)NR<sup>c</sup>R<sup>c</sup>, -O-(CH<sub>2</sub>)<sub>m</sub>-C(O)NR<sup>c</sup>R<sup>c</sup>, -O-C(O)OR<sup>a</sup>, -O-C(NH)NR<sup>c</sup>R<sup>c</sup>, -O-(CH<sub>2</sub>)<sub>m</sub>-C(O)OR<sup>a</sup>, -O-(CH<sub>2</sub>)<sub>m</sub>-C(NH)NR<sup>c</sup>R<sup>c</sup>, -NH-(CH<sub>2</sub>)<sub>m</sub>-NR<sup>c</sup>R<sup>c</sup>, -NH-C(O)NR<sup>c</sup>R<sup>c</sup> and -NH-(CH<sub>2</sub>)<sub>m</sub>-C(O)NR<sup>c</sup>R<sup>c</sup>;  
where *m*, R<sup>a</sup>, R<sup>b</sup> and R<sup>c</sup> are as defined in Claim 1.


27. (Original) The method of Claim 24 in which the trisubstituted phenyl has the formula:



wherein:  $R^{31}$  is methyl or (C1-C6) alkyl;  $R^{32}$  is hydrogen, methyl or (C1-C6) alkyl; and  $R^{33}$  is a halo group.

Claims 28- 31. (Canceled).

32. (Currently amended) The method of Claim [[1]] 10 in which the 2,4-pyrimidinediamine compound is a compound according to structural formula (1c):



or a salt, hydrate, solvate and/or N-oxide thereof, wherein:

$R^4$  is ~~phenyl optionally substituted with from 1 to 3 of the same or different  $R^8$  groups or 5-14 membered optionally substituted heteroaryl as defined in Claim 10 optionally substituted with from 1 to 4 of the same or different  $R^8$  groups;~~

$R^5$  and  $R^8$  are as defined in Claim 1; and

$R^{18}$  is  $-O(CH_2)_m-R^b$ , where  $m$  and  $R^b$  are as defined in Claim 1.

33. (Canceled).

34. (Previously Presented) The method of Claim 32 in which  $R^{18}$  is  $-O-CH_2-C(O)-NHCH_3$ .

Claims 35-38. (Canceled)

39. (Currently amended) The method of Claim [[1]] 10 in which the 2,4-pyrimidinediamine compound is selected from the group consisting of compounds

N2,N4-Bis(3-aminophenyl)-5-fluoro-2,4-pyrimidinediamine (R921302);



N4-(3-Chloro-4-methoxyphenyl)-5-fluoro-N2-[3-[(N-methylaminocarbonylmethyleneoxy)phenyl]-2,4-pyrimidinediamine (R926891),  
N4-[(2,2-Dimethyl-4H-benzo[1,4]oxazin-3-one)-6-yl]-5-fluoro-N2-[3-(methylaminocarbonylmethyleneoxy)phenyl]-2,4-pyrimidinediamine (R940323),  
N4-[(2,2-Dimethyl-4H-5-pyrido[1,4]oxazin-3-one)-6-yl]-5-fluoro-N2-[3-methylaminocarbonylmethyleneoxy)phenyl]-2,4-pyrimidinediamine (R940347)  
and  
N4-[(2,2-Difluoro-4H-benzo[1,4]oxazin-3-one)-6-yl]-5-fluoro-N2-[3-(methylaminocarbonylmethyleneoxy)phenyl]-2,4-pyrimidinediamine (R921303).

40. (Currently amended) The method of Claim [[1]] 10 in which the 2,4-pyrimidinediamine compound is administered in the form of a pharmaceutical composition comprising the compound and a pharmaceutically acceptable carrier, diluent or excipient.

Claims 41-42. (Canceled)

43. (Currently amended) The method of Claim [[1]] 10 in which the autoimmune disease is an autoimmune disease involving a systemic autoimmune disorder.

44. (Canceled)

45. (Currently amended) The method of claim 43 in which the autoimmune disease involving a systemic autoimmune disorder is selected from the group consisting of systemic lupus erythematosus, rheumatoid arthritis, Sjogren's syndrome, Reiter's syndrome, polymyositis-dermatomyositis, systemic sclerosis, polyarteritis nodosa, multiple sclerosis and bullous pemphigoid.

46. (Original) The method of Claim 45 in which the autoimmune disease is systemic lupus erythematosus.

47. (Original) The method of Claim 45 in which the autoimmune disease is rheumatoid arthritis.
48. (Original) The method of Claim 45 in which the autoimmune disease is multiple sclerosis.
49. (Currently amended) The method of Claim [[1]] 10, wherein the 2,4-pyrimidinediamine compound is selected from the group consisting of:
  - 7.4.30 N4-(4-Chloro-3-methoxyphenyl)-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
  - 7.4.31 N4-(3-Chloro-4-methoxycarbonylmethyleneoxyphenyl)-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
  - 7.4.32 N4-[3-Chloro-4-(N-methylamino)carbonylmethyleneoxyphenyl]-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
  - 7.4.33 N4-[3-Chloro-4-(2-hydroxyethyleneoxy)phenyl]-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
  - 7.4.34 N4-(3,5-Dichloro-4-methoxyphenyl)-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
  - 7.4.35 N4-(2-Aminopyrid-6-yl)-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
  - 7.4.36 N4-[2-(N-Acetylamino)pyrid-6-yl]-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
  - 7.4.37 N4-(3-Chloro-4-methoxyphenyl)-N2-(3,5-dichloro-4-hydroxyphenyl)-5-fluoro-2,4-pyrimidinediamine
  - 7.4.38 N4-(3-Chloro-4-trifluoromethoxyphenyl)-N2-(3,5-dichloro-4-hydroxyphenyl)-5-fluoro-2,4-pyrimidinediamine
  - 7.4.39 N2-(3,5-Dichloro-4-hydroxyphenyl)-N4-(2,2-difluoro-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
  - 7.4.40 N2-(3,5-Dichloro-4-hydroxyphenyl)-N4-(2,2-dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
  - 7.4.41 N4-(3-Chloro-4-methoxyphenyl)-N2-(3,5-dichloro-4-methoxyphenyl)-5-fluoro-2,4-pyrimidinediamine

- 7.4.42 N4-(3-Chloro-4-trifluoromethoxyphenyl)-N2-(3,5-dichloro-4-methoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.43 N4-(3,4-Dichlorophenyl)-N2-(3,5-dichloro-4-methoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.44 N2-(3,5-Dichloro-4-methoxyphenyl)-N4-(2,2-dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.45 N2-(3,5-Dichloro-4-methoxyphenyl)-N4-(2,2-difluoro-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.46 N2-(3,5-Dimethoxyphenyl)-N4-(2,2-dimethyl-3-oxo-4H-benz[1,4]oxazin-3-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.47 N4-(3,4-Dichlorophenyl)-N2-(3,5-dimethoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.48 N4-(3-Chloro-4-methoxyphenyl)-N2-(3,5-dimethoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.49 N4-(3-Chloro-4-trifluoromethoxyphenyl)-N2-(3,5-dimethoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.50 N4-[2-Aminopyrid-6-yl]-N2-(3,5-dimethoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.51 N2-(3,5-Dimethoxyphenyl)-5-fluoro-N4-(indol-6-yl)-2,4-pyrimidinediamine
- 7.4.52 N4-[2-(N-Acetylamino)pyrid-6-yl]-N2-(3,5-dimethoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.53 N2-(3,5-Dichlorophenyl)-N4-(2,2-dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.54 N4-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-(3-methoxy-5-trifluoromethylphenyl)-2,4-pyrimidinediamine
- 7.4.55 N2-(2,6-Dimethoxypyrid-3-yl)-N4-(2,2-dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.61 N4-[2-(N-Acetylamino)pyrid-6-yl]-N2-(3,5-dimethylphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.62 N2-(3,5-Dimethylphenyl)-5-fluoro-N4-[2-(N-methylamino)carbonylamino]pyrid-6-yl]-2,4-pyrimidinediamine

- 7.4.63 N2-(3,5-Dimethylphenyl)-5-fluoro-N4-[1-(N-methylamino)carbonylindol-6-yl]-2,4-pyrimidinediamine
- 7.4.64 N4-(2-Aminopyrid-6-yl)-N2-(3-chloro-4-trifluoromethoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.65 N2-(3-Chloro-4-trifluoromethoxyphenyl)-N4-(3,4-ethylenedioxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.66 N4-(2-Aminopyrid-6-yl)-N2-(3-chloro-4-methoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.67 N2-(3-Chloro-4-methoxyphenyl)-N4-(3,4-ethylenedioxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.68 N2-(3-Chloro-4-methoxyphenyl)-5-fluoro-N4-(indol-6-yl)-2,4-pyrimidinediamine
- 7.4.69 N2-(3-Chloro-4-methoxyphenyl)-5-fluoro-N4-[1-(N-methylaminocarbonyl)indol-6-yl]-2,4-pyrimidinediamine
- 7.4.70 N4-(2-Aminopyrid-6-yl)-5-fluoro-N2-(3-hydroxyphenyl)-2,4-pyrimidinediamine
- 7.4.71 N4-(3-Chloro-4-methoxyphenyl)-5-fluoro-N2[1-(N-methylaminocarbonyl)indol-6-yl]-2,4-pyrimidinediamine
- 7.4.72 N2-(3-Chloro-4-methoxyphenyl)-N4-(2,2-dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.73 N4-(3,4-Dichlorophenyl)-N2-(2,2-dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.74 N2-(4-Chloro-3,5-dimethylphenyl)-N4-(3,4-ethylenedioxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.75 N2-(4-Chloro-3,5-dimethylphenyl)-N4-(2,2-dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.76 (+)-N4-(2,2-Difluoro-3-oxo-4H-benz[1,4]oxazin-6-yl)-N2-[2-(N-methylaminocarbonyl)-2,3-dihydrobenzofuran-5-yl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.77 (+)-N4-(3-Chloro-4-methoxyphenyl)-N2-[2-(N,N-dimethylaminocarbonyl)-2,3-dihydrobenzofuran-5-yl]-5-fluoro-2,4-pyrimidinediamine

- 7.4.78 (+)-N4-(3-Chloro-4-trifluoromethoxyphenyl)-N2-[2-(N,N-dimethylaminocarbonyl)-2,3-dihydrobenzofuran-5-yl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.79 (+)-N4-(3-Chloro-4-methoxyphenyl)-N2-[2-(N-methylaminomethylene)-2,3-dihydrobenzofuran-5-yl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.80 5-Fluoro-N2-[2(R)-{(1R, 2S, 5R)-menthyloxycarbonyl}-2,3-dihydrobenzofuran-5-yl]-N4-(4-isopropoxyphenyl)-2,4-pyrimidinediamine
- 7.4.81 N4-(2,2-Difluoro-3-oxo-4H-benz[1,4]oxazin-6-yl)-N2-[2(R)-{(1R, 2S, 5R)-menthyloxycarbonyl}-2,3-dihydrobenzofuran-5-yl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.82 N2-(3,5-Dimethoxyphenyl)-N4-(2,2-dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine *p*-Toluenesulfonic Acid Salt
- 7.4.83 N2-(3,5-Dimethoxyphenyl)-N4-(2,2-dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine Methanesulfonic Acid Salt
- 7.4.84 N2-(3,5-Dimethoxyphenyl)-N4-(2,2-dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine Benzenesulfonic Acid Salt
- 7.4.85 N2-(3,5-Dimethoxyphenyl)-N4-(2,2-dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine Hydrogen Chloride Salt
- 7.4.86 N2-(3,5-Dimethoxyphenyl)-N4-(2,2-dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine DL-Camphoursulfonic Acid Salt
- 7.4.87 N2-(3,5-Dimethylphenyl)-N4-(2,2-dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine *p*-Toluenesulfonic Acid Salt
- 7.4.88 N2-(3,5-Dimethylphenyl)-N4-(2,2-dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine Benzenesulfonic Acid Salt
- 7.4.89 N4-(3-Chloro-4-methoxyphenyl)-5-fluoro-N2-(indol-6-yl)-2,4-pyrimidinediamine *p*-Toluenesulfonic Acid Salt

- 7.4.90 N4-(3,4-Ethylendioxyphenyl)-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine *p*-Toluenesulfonic Acid Salt
- 7.4.101 (+) N2-(2-Carboxyl-2,3-dihydrobenzofuran-5-yl)-N4-(3-chloro-4-trifluoromethoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.102 (+) N4-(3-Chloro-4-trifluoromethoxyphenyl)-5-fluoro-N2-[2-(N-2,3-dihydroxypropylamino)carbonyl-2,3-dihydrobenzofuran-5-yl]-2,4-pyrimidinediamine
- 7.4.103 (+) N4-(3-Chloro-4-trifluoromethoxyphenyl)-5-fluoro-N2-[2-(N-2-hydroxyethylamino)carbonyl-2,3-dihydrobenzofuran-5-yl]-2,4-pyrimidinediamine
- 7.4.104 (+) N4-(3-Chloro-4-trifluoromethoxyphenyl)-5-fluoro-N2-[2-(N-2-hydroxyethyl-N-methylamino)carbonyl-2,3-dihydrobenzofuran-5-yl]-2,4-pyrimidinediamine
- 7.4.105 N4-(3-Chloro-4-trifluoromethoxyphenyl)-5-fluoro-N2-[2-(N-isopropylamino)carbonyl-2,3-dihydrobenzofuran-5-yl]-2,4-pyrimidinediamine
- 7.4.106 5-Fluoro-N4-(2-isopropoxy-pyridin-5-yl)-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.107 N4-(3-Chloro-4-methoxyphenyl)-5-fluoro-N2-[3-(N-2-hydroxyethylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.108 (+) N4-(3-Chloro-4-methoxyphenyl)-5-fluoro-N2-[3-(N-2,3-dihydroxypropylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.109 N2,N4-Bis(4-benzoyloxy-3-chlorophenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.110 N4-(4-Benzoyloxy-3-chlorophenyl)-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.111 N4-(3-Chloro-4-methoxyphenyl)-N2-[3-(N-cyclopropylamino)carbonylmethyleneoxyphenyl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.112 N2-(3-Chloro-4-hydroxy-5-methylphenyl)-N4-(3-chloro-4-methoxyphenyl)-5-fluoro-2,4-pyrimidinediamine

- 7.4.113 N4-(3-Chloro-4-methoxyphenyl)-N2-[3-(N-eyelobutylamino)carbonylmethyleneoxyphenyl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.114 N4-(2,2-Difluoro-3-oxo-4H-benz[1,4]oxazin-6-yl)-N2-(3,5-dimethoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.115 N2-(3-Chloro-4-hydroxy-5-methylphenyl)-N4-(2,2-difluoro-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.116 N4-(3-Chloro-4-methoxyphenyl)-N2-(3-chloro-4-methoxy-5-methylphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.117 N4-(3-Chloro-4-isopropoxyphenyl)-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.118 N4-(3-Chloro-4-methoxy-5-methylphenyl)-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxy]phenyl]-2,4-pyrimidinediamine
- 7.4.119 N4-(3,4-Dichlorophenyl)-5-fluoro-N2-(indol-6-yl)-2,4-pyrimidinediamine
- 7.4.120 N4-(3-Chloro-4-methoxyphenyl)-5-fluoro-N2-(indol-6-yl)-2,4-pyrimidinediamine
- 7.4.121 N4-(2,2-Difluoro-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-(indol-6-yl)-2,4-pyrimidinediamine
- 7.4.122 N4-(3-Chloro-4-methoxyphenyl)-N2-[2-(N,N-dimethylaminomethyl)benzofuran-5-yl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.123 N4-(2,2-Difluoro-3-oxo-4H-benz[1,4]oxazin-6-yl)-N2-[2-(N,N-dimethylaminomethyl)benzofuran-5-yl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.124 N4-(3,4-Dichlorophenyl)-N2-[2-(N,N-dimethylaminomethyl)benzofuran-5-yl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.125 N2-(3-Chloro-4-methoxyphenyl)-N4-(2,2-difluoro-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.126 N4-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-(indol-6-yl)-2,4-pyrimidinediamine
- 7.4.127 N4-(2,2-Difluoro-3-oxo-4H-benz[1,4]oxazin-6-yl)-N2-[2-(N,N-dimethylaminocarbonyl)-2,3-dihydrobenzofuran-5-yl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.128 N4-(2,2-Difluoro-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-(3-methoxy-5-trifluoromethylphenyl)-2,4-pyrimidinediamine

- 7.4.129 N2-(3,5-Dichlorophenyl)-N4-(2,2-difluoro-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.130 N4-[3-Chloro-4-(N-morpholino)phenyl]-N2-(3,5-dimethoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.131 N4-[3-Chloro-4-(N-morpholino)phenyl]-5-fluoro-N2-(3-methoxy-5-trifluoromethylphenyl)-2,4-pyrimidinediamine
- 7.4.132 N4-(3-Chloro-4-methoxyphenyl)-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine p-Toluenesulfonic Acid Salt
- 7.4.133 N4-(3-Chloro-4-methoxyphenyl)-N2-(3,5-dichlorophenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.134 N4-(3-Chloro-4-methoxyphenyl)-N2-(3,5-dimethylphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.135 N4-(3-Chloro-4-methoxyphenyl)-5-fluoro-N2-(3-methoxy-5-trifluoromethylphenyl)-2,4-pyrimidinediamine
- 7.4.136 N4-(3-Chloro-4-methoxyphenyl)-5-fluoro-N2-(3,4,5-trimethylphenyl)-2,4-pyrimidinediamine
- 7.4.137 N4-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-(3,4,5-trimethylphenyl)-2,4-pyrimidinediamine
- 7.4.138 5-Fluoro-N4-[1-(N-methylaminocarbonyl)indol-6-yl]-N2-(3,5-dimethoxyphenyl)-2,4-pyrimidinediamine
- 7.4.147 N2-(3-Chloro-4-hydroxy-5-methylphenyl)-N4-(2,2-dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.148 N2-(3-Chloro-4-methoxy-5-methylphenyl)-N4-(2,2-dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.149 N4-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-(indazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.150 N4-(2,2-Difluoro-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-(indazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.151 (+)-2-Chloro-N4-(2-ethoxycarbonyl-2-methyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-4-pyrimidineamine
- 7.4.152 (+)-N4-(2-Ethoxycarbonyl-2-methyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-[3-(methoxycarbonylmethyleneoxy)phenyl]-2,4-pyrimidinediamine



- 7.4.153 5-Fluoro-N4-[2-methyl-2-(N-methylaminocarbonyl)-3-oxo-4H-benz[1,4]oxazin-6-yl]-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.154 N4-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-(1-methylindazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.155 N4-(2,2-Difluoro-3-oxo-4H-benz[1,4]oxazin-6-yl)-N2-(2,2-dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.156 N4-(2,2-Difluoro-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-(1-methylindazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.157 N4-(2,2-Dimethyl-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-N2-(3-chloro-4-methoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.158 N4-(2,2-Dimethyl-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-N2-(3,5-dimethoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.159 N2-(3,4-Dichlorophenyl)-N4-(2,2-dimethyl-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.160 N4-[(2,2-Dimethyl-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-5-fluoro-N2-(indazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.161 N2-(3-*tert*-Butylphenyl)-N4-(2,2-dimethyl-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.162 N4-[(2,2-Dimethyl-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-5-fluoro-N2-(3-hydroxyphenyl)-2,4-pyrimidinediamine
- 7.4.163 N4-(2,2-dimethyl-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-N2-(3-fluoro-4-methoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.164 N2-(3-Chlorophenyl)-N4-(2,2-dimethyl-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.165 N2-(3,5-Dichlorophenyl)-N4-(2,2-dimethyl-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.166 N4-(2,2-Dimethyl-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-5-fluoro-N2-(1-methylindazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.167 N2-(3-Chloro-4-trifluoromethoxyphenyl)-N4-(2,2-dimethyl-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.168 N2-(3-Chloro-4-methoxy-5-methylphenyl)-N4-(2,2-dimethyl-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine

- 7.4.169 N4-(2,2-Dimethyl-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-5-fluoro-N2-(3-methoxycarbonylmethyleneoxyphenyl)-2,4-pyrimidinediamine
- 7.4.170 N2-(3-Chloro-4-hydroxy-5-methylphenyl)-N4-(3,4-ethylenedioxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.171 N2-(3-Chloro-4-hydroxy-5-methylphenyl)-N4-(2,2-dimethyl-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.172 N2-(3,5-Dimethyl-4-methoxyphenyl)-N4-(2,2-dimethyl-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.173 N2-(3,5-Dimethyl-4-methoxyphenyl)-N4-(3,4-ethylenedioxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.174 N2-(3-Chloro-4-methoxy-5-methylphenyl)-N4-(3,4-ethylenedioxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.175 5-Fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-N4-[3-(N-morpholino)carbonyl-4-trifluoromethoxyphenyl]-2,4-pyrimidinediamine
- 7.4.176 N4-[3-(N-2-Aminoethylamino)carbonyl-4-trifluoromethoxyphenyl]-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.177 5-Fluoro-N4-[3-(N-methylamino)carbonyl-4-trifluoromethoxyphenyl]-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.178 5-Fluoro-N4-[3-[N-(2-(N-methylamino)ethylenamino)carbonyl-4-trifluoromethoxyphenyl]-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.179 5-Fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-N4-[3-(N-piperidino)carbonyl-4-trifluoromethoxyphenyl]-2,4-pyrimidinediamine
- 7.4.180 (R)-N4-[3-[N-(1,2-Dihydroxypropylamino)carbonyl-4-trifluoromethoxyphenyl]-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.182 (+)-N4-[4-(N-tert-Butoxycarbonyl)amino-1-benzopyran-6-yl]-2-chloro-5-fluoro-2,4-pyrimidineamine
- 7.4.183 (+)-N4-[4-(N-tert-Butoxycarbonyl)amino-1-benzopyran-6-yl]-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine

- 7.4.185 (+) N4-[4-(N-tert-Butoxycarbonyl-N-methyl)amino-1-benzopyran-6-yl]-2-chloro-5-fluoro-2,4-pyrimidineamine
- 7.4.186 (+) 5-Fluoro-N4-[4-(N-methyl)amino-1-benzopyran-6-yl]-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.187 (+) N4-[4-(N-tert-Butoxycarbonyl-N-methyl)amino-1-benzopyran-6-yl]-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.192 (S)-N4-[4-(N-Benzoyloxycarbonyl)amino-1-benzopyran-6-yl]-2-chloro-5-fluoro-4-pyrimidineamine
- 7.4.193 (R)-2-Chloro-N4-[4-(N-benzoyloxycarbonyl)amino-1-benzopyran-6-yl]-5-fluoro-4-pyrimidineamine
- 7.4.194 (S)-N4-[4-(N-Benzoyloxycarbonyl)amino-1-benzopyran-6-yl]-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.195 (R)-N4-[4-(N-Benzoyloxycarbonyl)amino-1-benzopyran-6-yl]-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.196 (S)-N4-(4-Amino-1-benzopyran-6-yl)-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.197 (R)-N4-(4-Amino-1-benzopyran-6-yl)-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.198 (+) N4-[4-(N-tert-Butoxycarbonyl)amino-1-benzopyran-6-yl]-5-fluoro-N2-(indazol-6-yl)-2,4-pyrimidinediamine
- 7.4.199 (+) N4-(4-Amino-1-benzopyran-6-yl)-5-fluoro-N2-(indazol-6-yl)-2,4-pyrimidinediamine
- 7.4.200 (+) N4-(4-Amino-1-benzopyran-6-yl)-N2-(3,5-dichloro-4-methoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.201 (+) N4-[4-(N-tert-Butoxycarbonyl)amino-1-benzopyran-6-yl]-N2-(3,5-dimethoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.202 (+) N4-(4-Amino-1-benzopyran-6-yl)-N2-(3,5-dimethoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.203 (+) N4-[4-(N-tert-Butoxycarbonyl)amino-1-benzopyran-6-yl]-N2-(3-chloro-4-methoxyphenyl)-5-fluoro-2,4-pyrimidinediamine

- 7.4.204 (+) N4-(4-Amino-1-benzopyran-6-yl)-N2-(3-chloro-4-methoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.205 (+) N4-[4-(N-tert-Butoxycarbonyl)amino-1-benzopyran-6-yl]-N2-(3,4-dichlorophenyl)-5-fluoro 2,4-pyrimidinediamine
- 7.4.206 (+) N4-(4-Amino-1-benzopyran-6-yl)-N2-(3,4-dichlorophenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.207 (+) N2-[4-(N-tert-Butoxycarbonylamino-1-benzopyran-6-yl)-N4-(3,5-dimethoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.208 (+) N2-[4-(N-tert-Butoxycarbonyl)amino-1-benzopyran-6-yl]-N4-(3,4-dichlorophenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.209 N2-[4(R,S)-(N-tert-Butoxycarbonyl)amino-1-benzopyran-6-yl]-5-fluoro-N4-[2-(S)-methyl-3-oxo-4H-benz[1,4]oxazin-6-yl]-2,4-pyrimidinediamine
- 7.4.210 (+) N2-(4-Amino-1-benzopyran-6-yl)-N4-(3,5-dimethoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.211 (+) N2-(4-Amino-1-benzopyran-6-yl)-N4-(3,4-dichlorophenyl)-5-fluoro 2,4-pyrimidinediamine
- 7.4.213 N2-[4(R,S)-Amino-1-benzopyran-6-yl]-5-fluoro-N4-(2(S)-methyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.245 (+)-5-Fluoro-N2-[3-(N-methylamino)carbonylmethylencoxyphenyl]-N4-[4-(N-*p*-toluenesulfonyl)amino-1-benzopyran-6-yl]-2,4-pyrimidinediamine
- 7.4.246 (+)-2-Chloro-5-fluoro-N4-[4-(N-methansulfonyl)amino-1-benzopyran-6-yl]-4-pyrimidineamine
- 7.4.247 (+)-5-Fluoro N4-[4-(N-methanesulfonyl)amino-1-benzopyran-6-yl]-N2-[3-(N-methylamino)carbonylmethylencoxyphenyl]-2,4-pyrimidinediamine
- 7.4.248 (+)-N4-[4-N-(N,N-Dimethylaminomethylencarbonyl)amino-1-benzopyran-6-yl]-5-fluoro-N2-[3-(N-methylamino)carbonylmethylencoxyphenyl]-2,4-pyrimidinediamine
- 7.4.249 (+)-N4-[4-N-(N,N-Dimethylaminomethylencarbonyl)-N-methylamino-1-benzopyran-6-yl]-5-fluoro-N2-[3-(N-methylamino)carbonylmethylencoxyphenyl]-2,4-pyrimidinediamine

- 7.4.253 N2-[3-(N-Cyclopropylamino)carbonylmethyleneoxyphenyl]-5-fluoro-N4-(4-morpholinophenyl)-2,4-pyrimidinediamine
- 7.4.254 5-Fluoro-N2-(3-methoxycarbonylmethyleneoxyphenyl)-N4-(4-morpholinophenyl)-2,4-pyrimidinediamine
- 7.4.255 N2-[3-(N-Cyclobutylamino)carbonylmethyleneoxyphenyl]-5-fluoro-N4-(4-morpholinophenyl)-2,4-pyrimidinediamine
- 7.4.259 N4-(3-Chloro-4-hydroxy-5-methylphenyl)-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.260 5-Fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-N4-(4-morpholinophenyl)-2,4-pyrimidinediamine
- 7.4.261 5-Fluoro-N4-[4-(4-methoxycarbonylpiperazino)phenyl]-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.270 N4-[4-(N-Acetyl-N-methylamino)phenyl]-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.271 N2,N4-Bis(3-methylaminocarbonylmethyleneoxyphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.277 *cis/trans*-N4-[4-[4-(*tert*-Butoxycarbonylamino)cyclohexyloxy]-3-chlorophenyl]-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.281 N2-[3-(N-Cyclobutylamino)carbonylmethyleneoxyphenyl]-5-fluoro-N4-(2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.282 N2-[3-(N-Cyclopropylamino)carbonylmethyleneoxyphenyl]-5-fluoro-N4-(2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.290 N2-(3,4-Dichlorophenyl)-5-fluoro-N4-(2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.291 N2-(3-Chloro-4-methoxyphenyl)-5-fluoro-N4-(2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.292 N2-(3,5-Dichloro-4-methoxyphenyl)-5-fluoro-N4-(2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.293 N2-(3,5-Dimethoxyphenyl)-5-fluoro-N4-(2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.294 5-Fluoro-N2-(3-fluoro-4-methoxyphenyl)-N4-(2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-2,4-pyrimidinediamine

- 7.4.295 *cis/trans* N4-[4-(4-Amino-cyclohexyloxy)-3-chlorophenyl]-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.297 N2-(3,4-Ethylenedioxyphenyl)-5-fluoro-N4-(2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.303 *cis/trans* N4-[3-Chloro-4-[4-(N-ethylamino)cyclohexyloxy]phenyl]-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine
- 7.4.306 N4-(2,2-Difluoro-2H-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine *p*-Toluenesulfonic Acid Salt
- 7.4.307 N4-(2,2-Difluoro-2H-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-2,4-pyrimidinediamine Benzenesulfonic Acid Salt
- 7.4.314 N2-(3,4-Dimethoxyphenyl)-5-fluoro-N4-(2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.316 N2-[3-(N-Cyclobutylamino)carbonylmethyleneoxyphenyl]-N4-(2,2-dimethyl-2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.319 N2-(3,5-Dimethylphenyl)-5-fluoro-N4-(2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.320 N2-(3,5-Dimethylphenyl)-N4-(2,2-dimethyl-2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.321 5-Fluoro-N2-(3-isopropylphenyl)-N4-(2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.322 N2-(3-Chloro-4-methylphenyl)-5-fluoro-N4-(2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.323 5-Fluoro-N2-(3-methoxy-5-trifluoromethylphenyl)-N4-(2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.324 5-Fluoro-N2-(indol-6-yl)-N4-(2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.325 N4-(2,2-dimethyl-2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-5-fluoro-N2-(indol-6-yl)-2,4-pyrimidinediamine

- 7.4.326 N2-(3,5-Dichlorophenyl)-5-fluoro-N4-(2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.327 N2-(3-Bromophenyl)-5-fluoro-N4-(2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.328 N2-(3-tert-Butylphenyl)-5-fluoro-N4-(2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.329 N2-(3,4-Difluorophenyl)-5-fluoro-N4-(2H-3-oxo-4H-5-pyrid[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.342 (S)-5-Fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-N4-(2-methyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.343 N4-(4,4-Dimethyl-1,3-dioxo-2H,4H-isoquinolin-7-yl)-5-fluoro-N2-[3-(N-methylamino)carbonylmethylenedioxypheyl]-2,4-pyrimidinediamine
- 7.4.344 (R)-5-Fluoro-N2-[3-(N-methylamino)carbonylmethyleneoxyphenyl]-N4-(2-methyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.345 N2-(3-Chloro-4-hydrox-5-methylphenyl)-N4-(4,4-dimethyl-1,3-dioxo-2H,4H-isoquinolin-7-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.346 (S)-N2-(3-Chloro-4-methoxyphenyl)-5-fluoro-N4-(2-methyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.347 (R)-N2-(3-Chloro-4-methoxyphenyl)-5-fluoro-N4-(2-methyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.348 N2-(3,5-Dimethoxyphenyl)-N4-(4,4-dimethyl-1,3-dioxo-2H,4H-isoquinolin-7-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.349 (S)-N2-(3,5-Dichloro-4-methoxyphenyl)-5-fluoro-N4-(2-methyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.350 (R)-N2-(3,5-Dichloro-4-methoxyphenyl)-5-fluoro-N4-(2-methyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.351 (+)-N2-(3,5-Dimethoxyphenyl)-5-fluoro-N4-[2-(2-hydroxyethyl)-3-oxo-4H-benz[1,4]oxazin-6-yl]-2,4-pyrimidinediamine
- 7.4.352 (+)-N2-(3-Chloro-4-methoxyphenyl)-5-fluoro-N4-[2-(2-hydroxyethyl)-3-oxo-4H-benz[1,4]oxazin-6-yl]-2,4-pyrimidinediamine
- 7.4.353 (S,S)-N2,N4-Bis-(2-methyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine

- 7.4.354 (S)-N2-(3,5-Dimethoxyphenyl)-5-fluoro-N4-(2-methyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.355 (R)-N2-(3,5-Dimethoxyphenyl)-5-fluoro-N4-(2-methyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-2,4-pyrimidinediamine
- 7.4.356 N2-(3,5-Dichloro-4-methoxyphenyl)-N4-(4,4-dimethyl-1,3-dioxo-2H,4H-isoquinolin-7-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.357 N4-(4,4-Dimethyl-1,3-dioxo-2H,4H-isoquinolin-7-yl)-N2-(indazol-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.358 N4-(3,3-Dimethyl-4H-benz[1,4]oxazin-6-yl)-N2-(3,5-dimethylphenyl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.359 N2-(3-Chloro-4-methoxyphenyl)-N4-(3,3-dimethyl-4H-benzo[1,4]oxazin-6-yl)-5-fluoro-2,4-pyrimidinediamine
- 7.4.360 N4-(3,3-Dimethyl-1,4-benzoxazin-6-yl)-5-fluoro-N2-(indazol-6-yl)-2,4-pyrimidinediamine
- 7.4.361 N4-(3,3-Dimethyl-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-(N1-methylindazol-6-yl)-2,4-pyrimidinediamine
- 7.4.362 (R)-N2-(3-Chloro-4-methoxyphenyl)-5-fluoro-N4-(2-methyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-2,4-pyrimidinediamine Toluenesulfonic Acid Salt
- 7.4.372 N4-(2,6-Dimethoxypyrid-3-yl)-N2-[1-(2-ethoxycarbonylethyl)indazolin-5-yl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.373 N4-(4-Chlorophenyl)-5-fluoro-N2-{1-[2-(N-methylamino)carbonylethyl]indazolin-5-yl}-2,4-pyrimidinediamine
- 7.4.374 N4-(4-Chlorophenyl)-5-fluoro-N2-[1-(3-hydroxypropyl)indazolin-5-yl]-2,4-pyrimidinediamine
- 7.4.375 N4-(3,4-Difluorophenyl)-N2-[1-(2-ethoxycarbonylethyl)indazolin-5-yl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.376 N4-(3,4-Difluorophenyl)-5-fluoro-N2-{1-[2-(N-methylaminocarbonyl)ethyl]indazolin-5-yl}-2,4-pyrimidinediamine
- 7.4.377 N4-(3,4-Difluorophenyl)-5-fluoro-N2-[1-(3-hydroxypropyl)indazolin-5-yl]-2,4-pyrimidinediamine
- 7.4.378 N4-(3,4-Dichlorophenyl)-N2-[1-(2-ethoxycarbonylethyl)indazolin-5-yl]-5-fluoro-2,4-pyrimidinediamine



- 7.4.379 N4-(3,4-Dichlorophenyl)-5-fluoro-N2-{1-[2-(N-methylaminocarbonyl)ethyl]indazolin-5-yl}-2,4-pyrimidinediamine
- 7.4.380 N4-(3,4-Dichlorophenyl)-5-fluoro-N2-[1-(3-hydroxypropyl)indazolin-5-yl]-2,4-pyrimidinediamine
- 7.4.381 ~~N4-(3,4-Ethylenedioxyphenyl)-5-fluoro-N2-(1-methylindazolin-6-yl)-2,4-pyrimidinediamine~~
- 7.4.382 N4-(3,4-Dichlorophenyl)-5-fluoro-N2-(1-methylindazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.383 ~~2-Chloro-5-fluoro-N-(1-methylindazolin-6-yl)-4-pyrimidineamine~~
- 7.4.384 N2-(3-Chloro-4-hydroxy-5-methylphenyl)-5-fluoro-N4-(1-methylindazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.385 N4-(3,4-Dichlorophenyl)-5-fluoro-N2-[2-(2-methoxy-4-methoxycarbonylbenzyl)indazolin-6-yl]-2,4-pyrimidinediamine
- 7.4.386 N4-(3-Chloro-4-methoxyphenyl)-5-fluoro-N2-[2-(2-methoxy-4-methoxycarbonylbenzyl)indazolin-6-yl]-2,4-pyrimidinediamine
- 7.4.387 ~~N4-(3,4-Ethylenedioxyphenyl)-5-fluoro-N2-{1-[2-methoxy-4-(N-methylaminocarbonyl)benzyl]indazolin-6-yl]-2,4-pyrimidinediamine~~
- 7.4.388 N4-(3,4-Difluorophenyl)-5-fluoro-N2-(indazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.389 N4-(3,4-Difluorophenyl)-5-fluoro-N2-(1-methylindazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.390 N4-(3-Chloro-4-methoxyphenyl)-5-fluoro-N2-(1-methylindazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.391 N4-(3,4-Dichlorophenyl)-N2-[1-(2-ethoxycarbonyl)ethyl]indazolin-6-yl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.392 N4-(3,4-Dichlorophenyl)-5-fluoro-N2-{1-[2-(N-methylamino)carbonyl)ethyl]indazolin-6-yl}-2,4-pyrimidinediamine
- 7.4.393 N4-(3,4-Dichlorophenyl)-5-fluoro-N2-[1-(3-hydroxypropyl)indazolin-6-yl]-2,4-pyrimidinediamine
- 7.4.394 N4-(3-Chloro-4-methoxyphenyl)-N2-[1-(2-ethoxycarbonyl)ethyl]indazolin-6-yl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.395 N4-(3-Chloro-4-methoxyphenyl)-5-fluoro-N2-[1-(3-hydroxypropyl)indazolin-6-yl]-2,4-pyrimidinediamine

- 7.4.396 N4-(3-Chloro-4-methoxyphenyl)-5-fluoro-N2-(indazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.397 N4-(3-Chloro-4-methoxyphenyl)-5-fluoro-N2-{1-[2-(*N*-methylaminocarbonyl)ethyl]indazolin-6-yl}-2,4-pyrimidinediamine
- 7.4.398 5-Fluoro-N4-(4-fluoro-3-methoxyphenyl)-5-fluoro-N2-(1-methylindazolin-5-yl)-2,4-pyrimidinediamine
- 7.4.399 N4-(4-Chloro-3-fluorophenyl)-5-fluoro-N2-(1-methylindazolin-5-yl)-2,4-pyrimidinediamine
- 7.4.400 N4-(3,4-Dimethoxyphenyl)-5-fluoro-N2-(1-methylindazolin-5-yl)-2,4-pyrimidinediamine
- 7.4.401 N2-(3-Chloro-4-methoxy-5-methylphenyl)-5-fluoro-N4-(indazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.402 N4-(4-Chloro-3-fluorophenyl)-5-fluoro-N2-(indazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.403 N4-(4-Chloro-3-fluorophenyl)-5-fluoro-N2-(indazolin-5-yl)-2,4-pyrimidinediamine
- 7.4.404 5-Fluoro-N4-(4-fluoro-3-methoxyphenyl)-N2-(indazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.405 5-Fluoro-N4-(4-fluoro-3-methoxyphenyl)-N2-(indazolin-5-yl)-2,4-pyrimidinediamine
- 7.4.406 N2-(3-Chloro-4-methoxy-5-methylphenyl)-5-fluoro-N4-{4H-imidazo[2,1-*c*]-benz[1,4]oxazin-8-yl}-2,4-pyrimidinediamine
- 7.4.407 N2-(3-Chloro-4-methoxy-5-methylphenyl)-5-fluoro-N4-(1-methylindazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.408 N2-(3, 5-Dimethoxyphenyl)-5-fluoro-N4-(1-methylindazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.410 N2-(3,5-Dimethoxyphenyl)-5-fluoro-N4-(indazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.411 N2-(2,2-Dimethyl-3-*exo*-4H-benz[1,4]oxazine-6-yl)-5-fluoro-N4-(1-methylindazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.412 N4-(3-Chloro-4-fluorophenyl)-5-fluoro-N2-(1-methylindazolin-6-yl)-2,4-pyrimidinediamine

- 7.4.413 N4-(3-Chloro-4-fluorophenyl)-5-fluoro-N2-(1-methylindazolin-5-yl)-2,4-pyrimidinediamine
- 7.4.414 N4-(3-Chloro-4-fluorophenyl)-5-fluoro-N2-(indazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.415 N4-(3-Chloro-4-fluorophenyl)-5-fluoro-N2-(indazolin-5-yl)-2,4-pyrimidinediamine
- 7.4.416 N4-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-(indazolin-6-yl)-2,4-pyrimidinediamine Benzenesulfonic-Acid Salt
- 7.4.417 N4-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-(indazolin-6-yl)-2,4-pyrimidinediamine p-Toluenesulfonic-Acid Salt
- 7.4.418 N4-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-N2-[1-(2-ethoxy-carbonyl-ethyl)indazolin-5-yl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.419 N4-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-[1-(3-hydroxypropyl)indazolin-5-yl]-2,4-pyrimidinediamine
- 7.4.420 N4-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-[1-[2-(N-methylaminocarbonyl)ethyl]indazolin-5-yl]-2,4-pyrimidinediamine
- 7.4.421 N4-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-N2-[1-(2-ethoxy-carbonyl-ethyl)indazolin-6-yl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.422 N4-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-[1-[2-(N-methylaminocarbonyl)ethyl]indazolin-6-yl]-2,4-pyrimidinediamine
- 7.4.423 N4-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-N2-[1-(methoxy-carbonyl)methyl-indazolin-5-yl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.424 N4-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-[1-(N-methylaminocarbonyl)methylindazolin-5-yl]-2,4-pyrimidinediamine
- 7.4.425 N2-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N4-(indazolin-5-yl)-2,4-pyrimidinediamine
- 7.4.426 N2-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N4-(1-methylindazolin-5-yl)-2,4-pyrimidinediamine
- 7.4.427 N2-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N4-(indazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.428 N4-(3,4-Dimethoxyphenyl)-5-fluoro-N2-(indazolin-5-yl)-2,4-pyrimidinediamine

- 7.4.429 N4-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-[1-(2-methoxy-4-methoxycarbonylbenzyl)indazolin-6-yl]-2,4-pyrimidinediamine
- 7.4.430 N4-(3,4-Dichlorophenyl)-5-fluoro-N2-(1-methylindazolin-6-yl)-2,4-pyrimidinediamine *p*-Toluenesulfonic Acid Salt
- 7.4.431 N4-(3,4-Dichlorophenyl)-5-fluoro-N2-(2-methylindazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.432 N4-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-(2-methylindazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.433 N4-(3-Chloro-4-methoxyphenyl)-5-fluoro-N2-(2-methylindazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.434 N4-(3,4-Dichlorophenyl)-N2-[2-(2-ethoxycarbonyl)ethyl]indazolin-5-yl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.435 N4-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-N2-[2-(2-ethoxycarbonyl)ethyl]indazolin-5-yl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.436 5-Fluoro-N4-(4-fluoro-3-methoxyphenyl)-N2-(1-methylindazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.437 5-Fluoro-N4-(4-fluoro-3-methoxyphenyl)-N2-(2-methylindazolin-6-yl)-2,4-pyrimidinediamine
- 7.4.438 N4-(3,4-Dichlorophenyl)-5-fluoro-N2-[1-(3-hydroxypropyl)indazolin-5-yl]-2,4-pyrimidinediamine Bis(*p*-Toluenesulfonic Acid Salt
- 7.4.439 N4-(3,4-Dichlorophenyl)-5-fluoro-N2-{2-[2-(*N*-methylaminocarbonyl)ethyl]indazolin-5-yl}-2,4-pyrimidinediamine
- 7.4.440 N4-(2,2-Dimethyl-3-oxo-4H-benz[1,4]oxazin-6-yl)-5-fluoro-N2-{2-[2-(*N*-methylaminocarbonyl)ethyl]indazolin-5-yl}-2,4-pyrimidinediamine
- 7.4.441 N4-(3-Chloro-4-methoxyphenyl)-5-fluoro-N2-(1-methylindazolin-5-yl)-2,4-pyrimidinediamine
- 7.4.442 N4-(3-Chloro-4-methoxyphenyl)-5-fluoro-N2-(indazolin-5-yl)-2,4-pyrimidinediamine
- 7.4.443 N4-(3-Chloro-4-methoxyphenyl)-N2-[1-(2-ethoxycarbonyl)ethyl]indazolin-5-yl]-5-fluoro-2,4-pyrimidinediamine
- 7.4.444 N4-(3-Chloro-4-methoxyphenyl)-5-fluoro-N2-[1-(3-hydroxypropyl)indazolin-5-yl]-2,4-pyrimidinediamine

- 7.4.445 N4-(3-Chloro-4-methoxyphenyl)-5-fluoro-N2-{1-[2-(N-methylaminocarbonyl)ethyl]indazolin-5-yl}-2,4-pyrimidinediamine  
or a salt, hydrate, solvate or N-oxide thereof.